

Preparing caddy for installation

1 Caddies are installed from the centre of the appliance outwards. So the first caddy you will install is the one intended for Media Bay 3 - this is the caddy in the box labelled "Caddy 3 of 3".

1. Select the correct caddy box


Choose the caddy to be installed into your [PRODUCT NAME REMOVED]. The caddy number will always correspond to its Media Bay number.

2. Remove packing foam layer from top of caddy box

Note the position of the caddy's green tabs. This is the "locked" position.

3. Remove the caddy from the box

Gently lift the green tabs on top of the caddy, and tilt them inwards. This will allow you to then raise the caddy from its box. This green tab position is the "released" position.



Placeholder: slide caddy tabs inwards

Installing caddy to the correct media bay


1. Ensure that the caddy number matches the intended media bay number

- First you will install Caddy 3 to Media Bay 3,
- then you will install Caddy 2 to Media Bay 2,
- and finally, Caddy 1 to Media Bay 1.

2. Lift the caddy and align with its media bay

Hold the caddy by its green tabs, ensuring they are in the "released" position. Orient the caddy so that the tabbed side is closest to the centre of the [PRODUCT NAME

REMOVED].



Placeholder: orient caddy over its bay

3. Insert caddy into its corresponding media bay

Lower caddy into its media bay. Rest it onto the connectors while releasing the green tabs. Then gently press the caddy down until it is fully seated against the baseboard.


The green tabs should now have returned to the “locked” position.

4. Repeat the caddy install process for all remaining caddies

Once Caddy 3 is installed in Media Bay 3, install the remaining two caddies to their respective media bays.

5. Replace the [PRODUCT NAME REMOVED] media bay lid

Retrieve the media bay lid, and set it back into place by aligning its tabbed end with the corresponding slots in the [PRODUCT NAME REMOVED]. Push forward until the tabs are fully inserted, then lower the lid, pressing on the opposite end until you feel the snap clips engage. The lid is now secured.



Placeholder: return lid to media bay